

THE APPLICATION OF DTM IN HIGHWAY DESIGN

(IBM PC)

MOHD WAZIR BIN K. OTHMAN

THIS THESIS IS SUBMITTED TO THE DEPARTMENT OF LAND SURVEYING, SCHOOL OF ENGINEERING, MARA INSTITUTE OF TECHNOLOGY, IN PARTIAL FULFILMENT FOR THE AWARD OF ADVANCED DIPLOMA IN LAND SURVEYING.

MARA INSTITUTE OF TECHNOLOGY
28 OCTOBER 1987

PREFACE

This project was carried out and the report was submitted to the Department of Land Surveying, School of Engineering, MARA Institute of Technology, Shah Alam, Selangor, as a partial fulfilment for the award of Advanced Diploma in Land Surveying.

The project was supervised by Encik Redzwan Misran and had received a lot of help from others whom the author greatly appreciated.

Acknowledgement of the assistance rendered by others is given in the ACKNOWLEDGEMENT.

ABSTRACT

Digital Terrain Model (DTM), have found numerous applications in many field. However, we shall restrict ourselves here to two main subjects, considering photogrammetric data acquisition techniques and civil engineering applications.

The sampling method is constrained to an already selected coordinates of Intersection Points (IP) that defined the centre-line, drawn on a large scale map. The method tends to provide an optimum longitudinal profile and cross-section digital data.

The centre-line may be composed of straight and curved line segments. The only sampling of ground data is stored in term of grid that will be manipulated throughout the programming.

The title of this thesis, "The application of DTM in Highway Design"; will somehow tells us the reliability of a personal computer with limited memory to execute a programme package which is normally done by high capacity computer.

ACKNOWLEDGEMENT

The author wishes to extend his sincere thanks to the many people who have assisted in various ways in the completion of this project. In particular, the author would like to thank the following :

Encik Redzwan Misran as the project advisor, for his helpful advice, suggestion, and the time he took to read this manuscript.

Encik Badri bin Mohd. Zin with whom the author shared all his programming problems.

Encik Rahmat Baba for supplying all the necessary articles and notes related to the project.

Encik Musa Adam a Civil Engineer at JKR Headquater, who is in-charge of MOSS, for his encouragement and constructive advice.

Encik Desa and Encik Rahman of Photogrammetry Lab., ITM, for their fullest cooperation during the data acquisition stage.

Encik Kadir bin Ali, my former classmate, for his time and energy in helping with the preparation of plan.

CONTENTS

	PAGE
TITLE	i
PREFACE	iii
ABSTRACT	iv
ACKNOWLEDGEMENT	iv
LIST OF FIGURES	ix
CHAPTER ONE	
1.0 INTRODUCTION	1
1.1 General	1
1.2 Objective	2
1.3 Method of Approach	2
CHAPTER TWO	
2.0 DATA ACQUISITION	9
2.1 Photogrammetry Method	9
2.1.1 Grid Method	11
2.1.2 Profile Method	12
2.2 Ground Survey Method	13
2.3 The Coordinate System	14
CHAPTER THREE	
3.0 PROGRAMME OPERATION	15
3.1 Grid Interpolation	15
3.2 Horizontal Alignment Computation	16
3.2.1 Calculation of Bearing and Distance.	18
3.2.2 Straight Route	20
3.2.3 Transition Curve	21
3.2.4 Circular Curve	24