FINISHING PROPERTIES OF POLYURETHANE AND ACID CATALYST BASED COATING ON BAMBOO STRIPPED BOARD

NORAIN BINTI MOKHTAR

Final Year Project Report Submitted in Partial Fulfilment of the Requirement for the Degree of Bachelor of Sciences (Hons.) Furniture Technology in the Faculty of Applied Sciences Universiti Teknologi MARA

JANUARY 2012

ACKNOWLEDGEMENT

I would like to honor and convey my deepest appreciation to all parties that were involved directly and indirectly in carrying out my dissertation. Firstly, I want to express my gratitude to my advisor Miss Norashikin Binti Kamaruddin. She has guided me to the right path and I'm deeply thankful to him and I'm confidence that our friendship will last forever.

A million thanks go to the staff, students and faculty at the Department of Furniture Technology at UiTM Pahang. To my mother, Hapaziah binti Rosli and my father Mokhtar bin Mat Piah and to my siblings, thank you for their support and encouragement. It often been difficult to be separated from them, but I want them to know that they were always in my thoughts.

Lastly, I would like to say that may my success be everybody success too and let this success lead to greater success in the future.

TABLES OF CONTENT

ACKNOLEDGEMENT	iii
TABLES OF CONTENTS	iv
LIST OF TABLES	vi
LIST OF PLATES	vii
LIST OF FIGURES	viii
LIST OF ABBREVIATIONS	ix
ABSTRACT	X
ABSTRAK	xi
	Page
CHAPTER 1 INTRODUCTION	
1 General Introduction	1
2 Introduction	3
3 Objectives	6
Problem statements	7
5 Justification	8
CHAPTER 2 LITERATURE REVIEW	
2.1 What is Bamboo Strip Board?	9
2.1.1 Physical and Mechanical Properties	13
2.1.2 Potentials of Bamboo Strips Board	15
2.2 Finishing materials	
2.2.1 Sealer	16
2.2.2 Wood filler	17
2.2.3 Binder	17
2.2.4 Additives.	18
2.3 Type of lacquer used	10
2.3.1 Acid Catalyzed Lacquer (AC)	19
2.3.2 Polyurethane (PU)	19
2.3.2 i divarettane (i 0)	10
CHAPTER 3 MATERIALS AND METHODS	
3.1 Materials	20
3.2 Methodology	
3.2.1 Board preparation	21
3.3 Finishing material	27

3.4 Testing procedures	
3.4.1 Adhesion Test (Cross CutTest)	31
3.4.2 Impact test	33
3.4.3 Gloss test	34
3.4.4 Abrasion test	36
3.4.5 Resistance to Household Test	37
3.4.6 Pencil Hardness Test.	38
0.4.0 i choil riardiness rest	39
CHAPTER 4 RESULTS AND DISCUSSIONS	00
4.1 Significance of Test Results	42
	44
4.1.1 Abrasion test	46
4.1.2 Impact test	
4.1.3 Hardness test	48
4.1.4 Crosscut test	50
4.1.5 Gloss test	52
4.1.6 Household test	55
CHAPTER 5 CONCLUSION AND RECOMMEDATION	
5.1Conclusion.	57
5.2 Recommendation	58
REFERENCES	61
APPENDICES	62
CURRICULUM VITAE	70

ABSTRACT

FINISHING PROPERTIES OF POLYURETHANE AND ACID CATALYST BASED COATING ON BAMBOO STRIPPED BOARDS

By

NORAIN BINTI MOKHTAR

SEPTEMBER 2011

Finishing process is the last of a sequence of manufacturing actions. The application of finishes is to protect the surface and also enhance the aesthetic value of bamboo strips board. Finishing also helps to enhance the attractiveness of the surface texture, dimensional stability and durability. In this study, bamboo strips board was used as a panel commercial. It uses to substitute the shortage of the other plywood but no information about the finishing on bamboo strips board. So, this study is carried out the suitability of two types of finishing material such as polyurethane and acid catalyst lacquer. From this study, Polyurethane lacquer shows good resistance against gloss and hardness but slightly poor for impact, crosscut and household. Acid catalyst lacquer shows good performance on impact, crosscut and household but slightly poor for hardness and gloss.