

**UPHOLSTERED STORAGE BENCH FROM WASTE
TIMBER**

SITI ANISAH BINTI ARSHAD

**BACHELOR OF SCIENCE (Hons.)
FURNITURE TECHNOLOGY
FACULTY OF APPLIED SCIENCE
UNIVERSITY TEKNOLOGI MARA**

JULY 2014

ACKNOWLEDGEMENTS

Assalamualaikum w.b.t

Praise to the almighty Allah the most gracious and the most merciful, for His blessing that give us healthy either physical nor mental to finish this final project properly and also get finish a project report in my Final Year Project.

Not forgot to Dr Wan Mohd Nazri Bin Abdul Rahman who had been so obviously dedicated to give us a lot of commitment in helping me to complete this project. Thanks for him guidance, critics and advises during the class. Then, my special thanks also to my supervisor; Miss Norashikin Binti Kamarudin and my co-supervisor Madam Nur Hannani Binti Abd Latif who gives me spirits, advices and teach me how to make this project.

Then a thank you to the staff that helped me throughout this project, En Rosli (Pok), En Tajuddin and En Shahril. Besides that, i would like to thanked to all friends especially my group thesis, Azreen Binti Seni, Nur Hayati Daud and Norhayati Hamzah for their cooperation to give comments on my product.

Finally, my deepest and appreciation goes to the entire lecturers and stuffs involved whether for the academic or from borrowing required tools during this project. Lastly thanks to both of my parents and to the contributions of all those who are involve directly or indirectly in this project. Thank you.

ABSTRACT

UPHOLSTERED STORAGE BENCH FROM WASTE TIMBER

Upholstery a work of providing furniture, especially seats, with paddings, springs, webbing and fabric or leather covers while waste timber is Any timber based material that are no longer in use or rejected due to its size or defects. This research is to produce a product using these two main material. Furthermore, by combining these materials, a lower cost product will be produced. This product is then tested through a list of survey randomly. Hence by using the gender, age and occupation of the respondents as a variable, it is concluded that upholstered storage bench from waste material can be designed and produced and has a good commercializing potential in the market due to its low availability in market, environmental friendly characteristics, good marketability, good ergonomic and anthropometric, and highly recommended.

TABLE OF CONTENTS

| | PAGE |
|---|-------------|
| APPROVAL SHEET | ii |
| CANDIDATE'S DECLARATION | iii |
| DEDICATION | iv |
| ACKNOWLEDGEMENTS | v |
| ABSTRACT | vi |
| ABSTRAK | vii |
| LIST OF TABLES | x |
| LIST OF FIGURES | xi |
| LIST OF PLATES | xii |
| LIST OF ABBREVIATIONS | xiii |
| | |
| 1. INTRODUCTION | |
| 1.1 General | 1 |
| 1.2 Problem Statement | 2 |
| 1.3 Justification | 3 |
| 1.4 Objectives | 3 |
| | |
| 2. LITERATURE REVIEW | |
| 2.1 Furniture | 4 |
| 2.1.1 Upholstery | 5 |
| 2.2 Furniture Design | 7 |
| 2.3 Furniture material | 7 |
| 2.3.1 Waste timber | 8 |
| 2.3.2 Foam | 10 |
| 2.3.3 Fabric or leather | 11 |
| 2.3.4 Thread | 15 |
| | |
| 3. METHODOLOGY | |
| 3.1 Primary Phase- Design process | 16 |
| 3.2 Secondary Phase- Material preparation | 21 |
| 3.2.1 Waste timber | 21 |
| 3.2.2 Foam | 22 |
| 3.2.3 Fabric or leather | 23 |
| 3.3 Manufacturing process | 24 |
| 3.3.1 Raw material preparation | 24 |
| 3.3.2 Cutting into size | 24 |
| 3.3.3 Sanding | 25 |
| 3.3.4 Gluing | 25 |
| 3.3.5 Sanding | 25 |
| 3.3.6 Upholstery | 25 |

| | | |
|-----------|--|----|
| 3.3.7 | Finishing | 26 |
| 3.3.8 | Assembly | 27 |
| 3.4 | Bill of Material (BOM) | 29 |
| 3.5 | Part List | 29 |
| 3.6 | Questionnaire | 29 |
| 4. | RESULTS AND DISCUSSIONS | |
| 4.1 | Introduction | 30 |
| 4.1.1 | Ergonomic | 32 |
| 4.1.2 | Anthropometry | 33 |
| 4.1.3 | Material suitability | 34 |
| 4.1.4 | Availability in market | 35 |
| 4.1.5 | Product recommendation | 36 |
| 4.1.6 | Product marketability | 37 |
| 4.1.7 | Correspondent satisfaction | 38 |
| 4.1.8 | Product Price | 39 |
| 5. | CONCLUSIONS AND RECOMMENDATIONS | 40 |
| | REFERENCES | 42 |
| | APPENDICES | 44 |
| | VITAE | 69 |