SMART SAFETY LPG GAS SYSTEM

MUHAMMAD SYAFIQ NA'IM BIN BAHROM

Final Year Project Report is submitted in partial fulfilment of the requirements for the degree of **Bachelor of Engineering (Hons) Electrical Engineering**

FACULTY OF ELECTRICAL ENGINEERING UNIVERSITI TEKNOLOGI MARA MALAYSIA

ABSTRACT

Fire protective counter measures is one of the many features and aspects that need to be comply when meeting certain building requirement and regulations. Fires within structures and buildings can result in catastrophic consequences. Taking into considerations with aspects related to safety which frequently has attracted the interest of many government or privately funded company, the incidents of gas leaking has become a highly concern issues due to its potential in causing physical or surrounding damage to environment, properties and human's life lost itself. There are many accidents at the kitchen that is caused by the leakage of LPG gas and the ''Smart Safety LPG Gas System'' is the total solution for these problems. The ''Smart Safety LPG Gas System'' is the best product for home use and company use. This project use one type of sensors with is MQ2 gas sensor which can detects LPG gas. There are 3 LEDs is use to indicate the level of leakage gas which is green, yellow and red if the gas reaching maximum limit the red LED and buzzer turn on and the stepper motor is used to open the gas tank head while the NodeMcu sent notification to Blynk application.

ACKNOWLEDGEMENT

Bissmillahirrahmanirrahim,

Firstly, I would like to say Alhamdulillah and all praises to the Most Merciful Allah S.W.T. for giving and providing me with the necessary guidance and ultimately the strength, patience, health, opportunities and knowledge in conducting and mostly completing this project within the given time. It would be impossible for me to finish this project without the grace of Allah S.W.T.

Furthermore, I proudly dedicate my upmost sincere gratitude and gesture of appreciation to my project supervisor Madam Suzi Seroja Sarnin, Universiti Teknologi MARA (UiTM), Shah Alam whom without a doubt the most influence person for me in finishing this project. The full supervision and support that was given to me by her is the main factor that inspired my work.

Besides that, my classmates from EE2428D plays a big role in the process of finishing this project. Thank you for being so helpful to me by providing the support and information needed for this project either directly or indirectly to fulfil this project.

Other than that, I wanted to express my most heart - warming appreciation to my beloved parents, Bahrom Bin Ribut and for their untiring and endless loves, prayers and supports in term of time and financial, hence motivate me to complete my degree. Not forgotten, a thankful wish to my siblings whom always showed their support and believe in me.

Lastly, I gratefully wanted to thank everyone who involved in this project for being very supportive and helpful. The path in accomplishing this Final Year Project was not easy without the aid and help from those mentioned above. So, I manage to make it through and finish my project hence, give contribution from this thesis to the society.

TABLE OF CONTENTS

AUTHOR'S DECLARATION			ii
ABSTRACT ACKNOWLEDGEMENT			
LIS	r of f	IGURES	ix
LIS	r of s	YMBOLS	xi
LIS	Г OF A	BBREVIATIONS	xii
CHA	TRACT iii NOWLEDGEMENT iv LE OF CONTENTS v OF TABLES viii OF FIGURES ix OF SYMBOLS xi OF ABBREVIATIONS xii OF ABBREVIATIONS 1 NTRODUCTION 1 NTRODUCTION 1 OVERVIEW OF STUDY 2 PROBLEM STATEMENT 3 OBJECTIVES 4 1.4.1 To detect the presence of gas leakage 1.4.2 To develop smart safety system with suitable prototype using nodement and android application. 4 1.4.3 To design autonomic valve opener 4 A.4.3 SCOPE OF WORK AND LIMITATIONS 5		
INTRODUCTION			1
1.1	INTR	ODUCTION	1
1.2	OVE	RVIEW OF STUDY	2
1.3	PRO	3LEM STATEMENT	3
1.4	OBJECTIVES		4
	1.4.1	To detect the presence of gas leakage	4
	1.4.2	To develop smart safety system with suitable prototype using nodemcu	1
		and android application.	4
	1.4.3	To design autonomic valve opener	4
1.5	SCO	COPE OF WORK AND LIMITATIONS 5	
1.6	THE	THESIS ORGANIZATION 6	

CHAPTER 1

INTRODUCTION

1.1 INTRODUCTION

These days, the utilization of not newly introduced Liquefied Petroleum Gas (LPG) type of gas usage in Malaysian region is generally utilized for numerous daily activities such as for home usage, cafe, ventures (least scale usage amount to enormous scale usage amount) in transportation or automotive based purposes as a fuels supplement [1]. LPG gas is very important in our daily live for example for cooking, drying and heating. Despite the fact that LPG gas are known as a natural inviting yet at the same time those vaporous can incite a genuine impact if there should arise an occurrence of leakage or disclosure[2]. There are many incidents reported that many deaths because of the leakage of LPG gas that lead to the explosion. As the utilization of the LPG type of gas increases in residential area, the mischances happen due to LPG blast too increases causing an urge in nonstop assessments and checking. In residential area, incidents such as explosion can occur easily and unexpectedly due to substandard cylinders, damage quality valves and loosen head gas used over a long period of time without proper replacement [3].