

UNIVERSITI TEKNOLOGI MARA

**AN INVESTIGATION ON PATTERN
OF UNSTABLE “BETA-GAMMA
($\beta\gamma$)” MAGNETIC CLASSIFICATION
OF SUNSPOT IN TYPE II BURST,
TYPE III BURST AND TYPE IV
BURST ON ACTIVE REGION**

SITI NUR UMAIRAH BT SABRI

Thesis submitted in fulfillment
of the requirements for the degree of
Master of Science
(Physics)

Faculty of Applied Sciences

September 2019

ABSTRACT

The pattern of unstable “Beta-Gamma ($\beta\gamma$)” magnetic classification of sunspot has been investigated. From previous study, it has reported Delta (δ) sunspot correlates well with flares productivity thus lead to major flares. However, based on data collected, it shows that $\beta\gamma$ sunspot has tendency to produce major flares as it seen to be the highest formation compared to the other types of magnetic classification of sunspot included Delta(δ) sunspot. In this study, the pattern of the unstable $\beta\gamma$ sunspot occurred within 5 years, from 2012 till 2016 shows different pattern for each type of magnetic classification. $\beta\gamma$ sunspot followed 11-year solar cycle and moved faster at equator compared at the edge of solar disk of the Sun. Furthermore, the frequency formation of unstable $\beta\gamma$ sunspot on active region were analysed and proved the highest frequency of $\beta\gamma$ sunspot to occur was in 2014, which is 120 days (34.38%) and the lowest was 14 days (4.01%) in 2016. The Sun was at solar maximum phase during 2012 to 2014 where the activity of the Sun is active leads increased of sunspot number thus solar flares and CMEs high possibility to occur. It reached minimum phase of Solar Cycle 24 during 2015 to 2016 and activity of the Sun less active thus decreased the sunspot number and decreased the possibility of solar flares and CMEs occurred. Active Sun will be increased in sunspot number and has higher tendency to produce solar flares and CMEs. When compared with other type of sunspot classifications, $\beta\gamma$ sunspot shows the highest formation, 349 days (62.77%) compared to δ sunspot, 39 days (7.01%). The correlation between $\beta\gamma$ sunspot with Sun’s parameter shows $\beta\gamma$ sunspot has ranges of solar wind speed (248.6-744.1 km/s), proton density (0-52.4 proton/cm³), sunspot number (25-296), radio flux (83-188 sfu) and magnetic field (0.9-23.8 nT) presented in all ranges of other types of magnetic classification of sunspot. $\beta\gamma$ sunspot might be the initial stage magnetic classification of sunspot before the sunspot becomes complex and formed other types of magnetic classification. The sunspot number is inversely proportional to the magnetic field of the sunspot. As the sunspot number increased, the magnetic field of the sunspot became weaker. In this study, $\beta\gamma$ sunspot possible to trigger the production of solar flares (Type III burst) or Coronal Mass Ejections (CMEs) (Type II burst). Data were collected from Space Weather Network and e- CALLISTO network.

ACKNOWLEDGEMENT

Firstly, Alhamdulillah, praise to Allah for giving me the opportunity, strength and good health in order finishing my thesis for master although there were a lot of obstacles that have been through these 3 years in order to complete my studies.

My appreciation goes to my supervisor and my co-supervisor, Dr Zety Sharizat Bt Hamidi and Prof Dr Zainol Abidin Bin Ibrahim who has guided me and let me earn so much knowledge about my research study.

Besides that, special thanks to my family, especially my mom, Shamsulaini Bt Abdul Aziz, my dad, Sabri Bin Md Jelas and my siblings for giving me moral support through thick and thin, patience with me in my hard times in finishing this project and last but not least, my friends (my lab mates especially) for helping me and gives good vibes for me to finish this project. Thank you.

TABLE OF CONTENTS

	Page
CONFIRMATION BY PANEL OF EXAMINERS	ii
AUTHOR'S DECLARATION	iii
ABSTRACT	iv
ACKNOWLEDGEMENT	v
TABLE OF CONTENTS	vi
LIST OF TABLES	ix
LIST OF FIGURES	x
LIST OF SYMBOLS	xiii
LIST OF ABBREVIATIONS	xiv
LIST OF NOMENCLATURES	xvi
CHAPTER ONE: INTRODUCTION	1
1.1 Research Background	1
1.2 Problem Statement	2
1.3 Objectives	2
1.4 Significance of Study	3
1.5 Scope and Limitation	4
CHAPTER TWO: LITERATURE REVIEW	5
2.1 Introduction	5
2.1.1 The Inner Layer of the Sun	8
2.1.2 The Outer Layer of the Sun	10
2.2 Sunspot and Magnetism	11
2.2.1 Mount Wilson Magnetic Classification (MWMC) of Sunspot	14
2.2.2 The Types of Magnetic Classification of Sunspot	17
2.3 Magnetic Field of the Sun	20
2.3.1 The Mechanism of Magnetic Field	23
2.4 Solar Activities	24
2.4.1 Solar Flares and CMEs	24

2.5	Consequences of Solar Activities	27
2.5.1	Type II Burst (CMEs)	30
2.5.2	Type III Burst (solar flares)	31
2.5.3	Type IV Burst (Sunspot)	34
2.6	Process in Collecting Data in Study	35
2.6.1	Space Weather Network	35
2.6.2	The Theory of LPDA	36
2.6.3	Compound Astronomical Low -Cost Low- Frequency Instrument for Transportable Observatory.	40
CHAPTER THREE: RESEARCH METHODOLOGY		42
3.1	Introduction	42
3.2	Collecting Data using Space Weather Live network and Space Weather website.	43
3.3	Antenna Construction and Instrument LPDA	47
3.4	Antenna Calibration or Testing	52
3.5	CALLISTO Spectrometer and e-CALLISTO Network for Collection Data	53
3.6	Data Collection (CALLISTO)	54
3.7	Image Processing (CALLISTO)	55
3.8	Summary	56
CHAPTER FOUR: RESULTS AND DISCUSSION		58
4.1	Introduction	58
4.2	The Pattern of $\beta\gamma$ Sunspot Classification	58
4.3	The Frequency (days) of Formation $\beta\gamma$ Sunspot on AR	60
4.3.1	The Pattern of $\beta\gamma$ Sunspot and Correlations Properties with Sun's Parameter	62
4.4	The Probability of $\beta\gamma$ Sunspot Generate Type II Burst and Type III Burst	66
4.4.1	Data from CALLISTO, Fakulti Sains Gunaan, UiTM Shah Alam	78
4.5	Summary	79
CHAPTER FIVE: CONCLUSION AND RECOMMENDATION		81
5.1	Introduction	81