## TRANSIENT VOLTAGE DISTRIBUTION IN TRANSFORMER WINDING

This thesis is presented in partial fulfillment for the award of the

**Bachelor of Electrical Engineering (Honors)** 

University Teknologi MARA



AHMAD FIRDAUS BIN AHMAD MORLY

FACULTY OF ELECTRICAL ENGINEERING

UNIVERSITY TEKNOLOGI MARA

40450 SHAH ALAM

SELANGOR DARUL EHSAN

## ACKNOWLEDGEMENT

All praise to ALLAH S.W.T, The Most Gracious and The Most Merciful that has given me the strength and ability to complete this Final Year Project. This project has taken most of time in order to finish it. During to finish it, many people were involved by contributing their most valuable resources, materials, ideas, and supports, just to make sure that this project reach it goal.

First and foremost, the most thankful person to my respected project supervisor, Assoc. Prof. Dr. Chan Sei, who have been really determine to make sure that I am getting the most important information about my final project title. He also gives advice and supported moral to my future world when I will be graduated. Also I wish to thanks to him for his time and valuable information towards the accomplishment of this project especially on the 2D FEMM software.

Also thanks to my panel Assoc. Prof Muhammad bin Yahya and Madam Rahmatul Hidayah, my family, friends and who has given their free time to help me and be there to support me mentally. Thank you very much. I hope that the knowledge and the experience I gained from doing this project will guide me to survive in working world in the future.

Thank you,

Ahmad Firdaus b. Ahmad Morly Faculty of Electrical Engineering University Teknologi Mara (UiTM) 40450 Shah Alam Selangor Darul Ehsan May 2010

i

## ABSTRACT

This paper describes how to obtain parameters of a standard winding using 2D FEMM and Transient Voltage Distribution in Transformer Winding using Pspice. The values of inductance L, capacitor Cs and Cg are obtained by using 2D FEMM software. The Cs and Cg can be calculated by using electrostatic problems which are inter turn and turn to ground calculations while the L can be calculated by using the magnetic problem. The values of inductance are applied in the capacitive distribution along the winding circuit. Therefore, a transient overvoltage has been analyzed by injecting the pulse in the primary voltage by using Pspice. It is use to simulate the transient voltage distribution of that power transformer under lightning over voltage as well as the transformer is switched in the no load circuits. The simulated show that the model can represent transient response of the transformer and simplifies the process of calculation.

Keyword :- 2D FEMM, Pspice, Transient Voltage

## **TABLE OF CONTENTS**

ACKNOWLE	DGEMENTi
ABSTRACT.	ii
TABLE OF C	CONTENTS iii
LIST OF FIG	URES iv
LIST OF TAI	3LESv
LIST OF SYN	MBOLS AND ABBREVIATIONS vi
CHAPTER 1:	INTRODUCTION 1
1.1.	Introduction1
1.2.	Problem Statement
1.3	Objectives7
1.4	Scope of Work
CHAPTER 2	: LITERATURE REVIEW
2.1	Introduction9
2.2	Transformer Winding Construction10
2.3	The Parameter Equivalent Circuit11
	2.3.1 Capacitor
	2.3.2 Inductor15
2.4	Transient Overvoltages in Electrical Distribution System17
	2.4.1 Energizing the Transformer Primary17

	2.4.2 De-Energizing the Transformer Primary	
	2.4.3 Effects of Transient Activity 19	
2.5	Transformer21	
	2.5.1 Transformer Inrush Current24	
	2.5.2 Effect Inrush Current	
2.6	2D FEMM Software	
	2.6.1 Application27	
2.7	Pspice	
CHAPTER	3 : METHODOLOGY	
3.1	Methodology	
3.2	The Overall Flowchart of Project	
3.3	Performing the Value of Capacitance in 2D FEMM software 33	
3.4	Performing the Value of Inductance in 2D FEMM software 39	
3.5	The Analyzing of Transient Voltage Distribution in Pspice	
CHAPTER 4	: RESULT AND DISCUSSION	
4.1	Introduction	
4.2	Data Simulate from 2D FEMM46	
4.3	The Parameters of Equivalent Circuit47	
4.4	Transient Simulation Result of The Circuit48	
4.5	Discussion49	
CHAPTER 5	: CONCLUSION	
RECOMMEN	NDATION	
REFERENCES		
APPENDIX.		

-