



UNIVERSITI  
TEKNOLOGI  
MARA

College of  
Built Environment

# Poster Book

**IIIDBEE X 2023**  
20 JANUARY 2023  
*International Invention, Innovation & Design Exposition  
for Built Environment and Engineering 2023*

**College of Built Environment  
UiTM Puncak Alam**  
20 January 2023 | Friday

**Editors:**

*Dr Aidatul Fadzlin Bakri, Nurzafira Zainul Abidin, Sr Dr Noor Akmal Adillah Ismail,  
Dr Har Einur Azrin Baharuddin, Assoc. Prof. Ts Gs Dr Abdul Rauf Abdul Rasam*



BY SUBJECT | 2022



[kab.uitm.my](https://www.kab.uitm.my)



[kab.uitm](https://www.kab.uitm)



[KAB UITM](https://www.kab.uitm)

#weareAlamBina

*Generations of Professional Excellence*

**Unleashing Potentials  
Shaping the Future**

# CONTENTS

---

**01 Contents**

**02 Preface**

**03 Welcome remarks**

**04 Exhibition layout**

**05 Event programme**

**06 List of entries**

**07 Poster category: Academician &  
Professionals**

**08 Poster category: Postgraduate**

**09 Poster category: Undergraduate**

**10 Appreciation**

# TRAIL STANDARD FOR HIKERS AT GUNUNG BEREMBUN AND GUNUNG TELAPAK BURUK

**IIIDBEE X 2023**  
20 JANUARY 2023  
International Invention, Innovation & Design Exposition  
for Built Environment and Engineering 2023



## INTRODUCTION

The tropical rainforest of Malaysia is considered the oldest in the world and is a major attraction for those who love outdoor adventures to explore the mysterious natural beauty of the forest which is still well preserved. Some hikers walk their way up only to the first checkpoint or station which is natural waterfall and after enjoying their time in waterfall, they fall back to the base. However, most hikers will hike to the peak of the mountain to gain the most satisfying experience.

The purpose of this research to identify the trail standard for hikers' at Gunung Berembun and Gunung Telapak Buruk is an important role in defining the access is attributed to specialists who design and manage the infrastructure, which set standards for access systems. Furthermore, this study also focuses to determine how trail standard can affecting hikers' arrival at Gunung Berembun and Gunung Telapak Buruk.

## ISSUES/ PROBLEM STATEMENT

- In reserve forest, trails are accessibility for visitors to reach to natural area which is positively to become well known place.
- Some of the Gunung Berembun and Gunung Telapak Buruk trails are not properly followed and managed by Forest Department.
- Trail conditions in the recreation centre will continue to decrease without the improvement of routine support and maintenance of building highlights.
- If the user use another path, which is natural path, to affect the natural resources along a road as well.
- Corrupted paths diminish the atmosphere of the leisure centre, making it difficult and unsafe for walkers to be safe.

## OBJECTIVES

- I. To identify the trail standard for hikers' at Gunung Berembun and Gunung Telapak Buruk, Jelebu.
- II. To determine the trail standard can affecting hikers' arrival at Gunung Berembun and Gunung Telapak Buruk, Jelebu.
- III. To document the relationship between trail standard and factors affecting hikers arrival at Gunung Berembun and Gunung Telapak Buruk.

## METHODOLOGY



The study area can be access by two entrance, one from Gunung Berembun trailhead Kampung Pantai and telecommunication tower Gunung Telapak Buruk. The hikers need to apply permit before can access the area and RM 5.00 per person. The first campsite and water spot, Lata Berembun. It takes about 30 minutes to get to the Lata Berembun from the head of the trail and the trail is wide mostly flat and clearly marked. About every 50 m you can find laminated paper marks on the trees. Lata Berembun is a beautiful waterfall that hikers can take bathing.

Quantitative techniques used to determine the important of accessibility trails for hikers at Gunung Berembun and Gunung Telapak Buruk to complete exploration. Interviews were arranged was delivered and collected between the Jabatan Perhutanan Negeri Sembilan of about Gunung Berembun and Gunung Telapak Buruk keeping in mind the ultimate goal to gather all information and data about the nature of administration. The technique, coordinated audit of article writing diary and track different sources. The survey has been provided by the elections.



## REFERENCES

1. Alleyne, J. (2003). Social Contact between Mountain hikers and Other Trail Users in the East-Burke Training Alleyne, 1–16.
2. Downing, B., Freeman, X., Farfel, S., Glasgow, R., Roldán, R., & Hawley, E. (2009). Trail Design Guidelines for Portland's Park Systems (May).
3. Conference, I. (n.d.). Maintenance Manual. DASH, S. K. (n.d.). Appendix C. Climate Change. <https://doi.org/10.1017/978175968837.014>

## FINDINGS

### Types of Trail

Most trekkers know that there are as many different sorts of hiking trails as there are different types of roads. While knowing the difference won't make hiking them any simpler, it will help you learn how to carefully prepare a journey, improve navigation, and avoid going onto a trail that should never be on.

There are 10 types of trail:

- Trail Type A – Hiking (High Challenge)
- Trail Type B – Hiking (Moderate Challenge)
- Trail Type C – Hiking (Accessible)
- Trail Type D – Walking
- Trail Type E – Exercise/Fitness (Resilient Track)
- Trail Type F – Biking
- Trail Type G – Mountain Biking
- Trail Type H – Equestrian
- Trail Type I – Hiking & Mountain Biking
- Trail Type J – Hiking & Equestrian

### Factor Affecting Hiker's Arrival

Hiker's data serves as a basis for considering the operational management plan, budget, facilities, and maintenance. It can also be used as a measure to determine the level of appropriate use for environmental and social effects is unnecessary, and objective information can be used to assess the cultural, economic, and political.

Attraction is a dynamic field as it varies according to the number of factors related to the safety, location, the destination country, and the markets from which the tourists appeared, and markets the destination. They also reviewed destinations by investigating accessibility and attractions they provide or any other way to attract tourists.

### Trail Standard

Trail standards lead to improvement in trail quality and guarantee a steady way of dealing with the arrangement of trails, which both improve the well-being and satisfaction of all trail customers. All associations and forestry departments engaged in trail improvement or managing are expected to use the guidelines at Gunung Berembun and Gunung Telapak Buruk.

## NOVELTY

### | NOVELTY |

Risk management is important for people's safety, hence the application of it should be emphasize.

### | BENEFITS TO SOCIETY |

Help the people to ensure their safety when doing their favourite outdoor activities without getting hurt and lessen the risk of danger.

### | POTENTIAL FOR COMMERCIALIZATION |

Assign interpreter at the recreational area to help the people there. Guidelines on the understanding of risk management.

## CONCLUSION

Reliability Statistics	
Cronbach's Alpha	N of Items
.820	59

- The reliability test is used to use the questionnaire to examine. Depending on the Alpha outcome of Cronbach, reliability is sufficient and reasonable for respondents if we obtain more than 0.7. The alpha score for the Cronbach element is.821 that is considered acceptable. Therefore, 300 respondents are qualified to use the questionnaire.

- The result is that the walker is more aware of the trail standard that the experience and its rights were presumed. The advantage of using standard road operations will enhance the best experience of visitors using the trail.

Gunung Berembun and Gunung Telapak Buruk are already well-known trails for hiking. Before being open to the public, the hiking trail is required to follow the standard. On the basis of the observation, question should be raised as to how the standard marking and warning sign on the Gunung Berembun and Gunung Telapak Buruk trail applies to the hiker. The advantage of using standard road operations will enhance the best experience of visitors using the trail.