

AUTOMATED ELECTRICAL INSTALLATION SOFTWARE FOR TWO STOREYS BUILDING

**This thesis presented in partial fulfillment for the award of the
Bachelor in Electrical Engineering (Hons)**

UNIVERSITI TEKNOLOGI MARA



ZAINUDDIN B AB RAHMAN
FACULTY OF ELECTRICAL ENGINEERING
UNIVERSITI TEKNOLOGI MARA
40450 SHAH ALAM, SELANGOR

ACKNOWLEDGEMENT

In the name of Allah, the Most Beneficent and the Merciful. All praises being to Allah, lord of the Universe, which also bless and regard to Nabi Muhammad S.A.W. His companion and the people who follow His path.

I would like to express my thanks to Assoc. Prof. Dr. Noraliza Hamzah for her guidance and support throughout the development of this project. I also would like to express my utmost gratitude to all people especially En Rudzuan as JKR engineer and who have been involved directly or indirectly in this project.

My deepest appreciations also to my beloved parents,
and my beloved family members for their moral and spiritual support.

Lastly, I would like to express a million thanks to my understanding friends because of co-operation and discussion assisting with the idea in developing the project. I also would like to wish a very thankful for those have been support and giving me encourage.

Thank you very much

Zainuddin B Ab Rahman
Faculty of Electrical Engineering
Universiti Teknologi MARA
40450 Shah Alam, Selangor.

MAY 2009

ABSTRACT

This project presents automated electrical installation software designed for two storeys building. The project involved two storeys mosque. The mosque which is a ground floor and the first floor. The scope includes workspaces for ground floor and first floor. The design involved equipment design, size and type of cable and lastly protection design. The design of electrical design such lighting, socket outlet, cable sizing and telecommunication follow the rules and regulation. The primary concern when the designing electrical installation in how electrical distribution is design in a facility. This case study will involve MATLAB program using Graphical User Interfaces (GUI) by considering lighting, cable sizing and voltage drop.

Finally, the MSB was designed by using the data or demand from the load. After the result had been done, the MATLAB program was designing to find lighting design, cable sizing and voltage drop.

TABLE OF CONTENTS

CONTENTS	PAGE
Declaration of Original Work	iii
Acknowledgment	iv
Abstract	v
Table of Contents	vi
List of Figures	x
List of Tables	xi
Abbreviations	xii
CHAPTER 1	
INTRODUCTION	
1.1 Introduction	1
1.2 Objective of Study	2
1.3 Scope of Work	3
CHAPTER 2	
INSTALLATION CHARACTERISTICS	
2.1 Total Connected Load and Maximum Demand	4
2.2 Diversity	6
2.3 Calculation of Cable size	7
2.3.1 Ambient temperature correction factor	7
2.3.2 Grouping correction factor	8
2.3.3 Thermal insulation factor	9
2.4 Voltage Drop Calculation	9
2.4.1 Voltage drop formula	10
2.5 Protection Against Overload	10
2.5.1 Required condition for overload protection	11
2.6 Protection against Short Circuit	12
2.6.1 Required conditions for short circuit protection	12

2.6.2	Adiabitic Equation	13
2.7	Circuit Breaker	14
2.7.1	Miniature circuit breaker (MCB)	14
2.7.2	Moulded case circuit breaker (MCCB)	15
2.7.3	Residual current operated circuit breaker (RCCB)	16

CHAPTER 3

EARTHING INSTALLATION

3.1	Method of System Earthing	18
3.2	Earthing in Low Voltage System	19
3.2.1	TT System	20
3.2.2	TN-S System	20
3.2.3	TN-C-S System	21
3.2.4	TN-C and IT System	21

CHAPTER 4

MATLAB PROGRAMMING

4.1	Overview of Graphical User Interface (GUI) software	22
4.1.1	Graphical User Interface (GUI)	22
4.2	How Does a GUI Work?	23
4.3	Importing Data	24
4.4	Programming the Push Buttons	25
4.5	Running the GUI	26