# UNIVERSITI TEKNOLOGI MARA

## PREPARATION AND CHARACTERIZATIONS OF SODIUM IODIDE-SODIUM DICYANAMIDE SOLID ELECTROLYTE

#### MOHD KHAIRUL HAZWAN BIN MOHD YUSOF

MSc

August 2018

# UNIVERSITI TEKNOLOGI MARA

## PREPARATION AND CHARACTERIZATIONS OF SODIUM IODIDE-SODIUM DICYANAMIDE SOLID ELECTROLYTE

#### MOHD KHAIRUL HAZWAN BIN MOHD YUSOF

Thesis submitted in fulfilment of the requirements for the degree of **Master of Science** 

**Faculty of Applied Sciences** 

August 2018

#### ABSTRACT

This study sets out to investigate the possibility of using sodium based salt and inorganic ligand compound as solid electrolyte. Binary solid electrolyte system of NaI-NaN(CN)<sub>2</sub> was successfully prepared by Ball Milling method with two hours of optimized milling time. The prepared samples were characterized by Electrochemical Impedance Spectroscopy (EIS), Transference Number Measurement (TNM), Fourier Transform Infrared Spectroscopy (FTIR), X-Ray Diffraction (XRD) and Field Emission Scanning Electron Microscopy (FE-SEM). Highest conducting sample was obtained for 10NaI-90NaN(CN)<sub>2</sub> system where the room temperature conductivity was  $(5.67 \pm 1.26) \times 10^{-4} \text{ S}$ cm<sup>-1</sup> and it was confirmed an ionic conductor as the ionic transference number was 0.96. Temperature dependent conductivity analysis had revealed that the highest conducting sample obeys Arrhenius rule as the ionic charge carrier species conduction was through some hopping mechanism with lowest activation energy of 0.133 eV. Apart from that, conduction mechanism was found to follow Quantum Mechanical Tunneling (OMT) model. FTIR analysis had suggested some interaction had occurred between NaI charge carrier as the salt component in the binary system with the sodium dicyanamide host material as the duplet  $C \equiv N$  spectra emerged into single broader peak at around 2100 cm<sup>-1</sup> wavenumber region. Binary sample had showed to be less crystalline in nature due to decrease in overall intensity and disappearing of several sharp peaks from XRD diffractogram obtained. Finally, FE-SEM micrograph revealed significant difference between unmilled and milled pelletised sample as milled material particles was broken down into smaller size apart from homogenous of powder mixture was achieved.

#### ACKNOWLEDGEMENT

First would be an expression of thankfulness to the Almighty God for allowing me to complete this MSc journey. My gratitude would next goes to my supervisor, Prof. Dr. Azizah Hanom bt. Ahmad for giving me the opportunity and guidance in this Post Graduate study until the very end. I would also like to thank Ionic, Colors and Coating (ICC) Lab, Institute of Science UITM staff which are Mr. Mohammad Syaiful Izuan Mat Yusoff and Mr. Mohd Azrin Abdul Rahim for assisting me in conducting this whole research project. Both of you would be considered as 'unsung heroes' of this research journey.

Not to be forgotten a big thank you to all of my fellow friends in ICC Lab which helped in providing useful insights during this study. They are

Finally, this study would not be meaningful without the emotional support from my two love of life, my wife and my daughter

A million thanks to both of you for continuous support and never doubted my decision in pursing this MSc journey.

#### **TABLE OF CONTENTS**

	Page
CONFIRMATION BY PANEL OF EXAMINERS	ii
AUTHOR'S DECLARATION	iii
ABSTRACT	iv
ACKNOWLEDGEMENT	v
TABLE OF CONTENTS	vi
LIST OF TABLES	ix
LIST OF FIGURES	X
LIST OF ABBREVIATIONS	XV
CHAPTER ONE: INTRODUCTION	1
	1
1.1 Background of the Study	1
1.2 Statement of the Problem	3
1.3 Objectives of the Study	3
1.4 Outline of the Study	4
CHAPER TWO: LITERATURE REVIEW	5
2.1 Review on Various Sample Preparation Method	5
2.2 Various Types of Sodium-Based Solid Electrolyte	5
2.3 Review on the Sodium Fast-Ionic Conductors Binary Systems	16
2.4 Material Selection for Binary Salt System	19
2.4.1 Why NaI?	19
2.4.2 Why NaN(CN) <sub>2</sub> ?	23
2.5 Ionic Conduction Behaviour at Elevated Temperatures	27
2.5.1 Arrhenius Equation	28
2.5.2 Ionic Conduction Behaviour Based on A.C. Conductivity Studies	29
2.5.3 Dielectric Studies	30
2.6 Ionic Transference Properties	35