## UNIVERSITI TEKNOLOGI MARA

# CYTOLOGICAL AND MOLECULAR ANALYSIS OF ANTI-TUMOUR BIOACTIVITIES OF Urginea maritima (L.) BAKER AQUEOUS EXTRACT ON HUMAN MALIGNANT NEUROBLASTOMA WITH ITS NEUROPROTECTION ABILITY

### MAATI MUSBAH SALEH ELGHUOL

Thesis submitted in fulfillment of the requirements for the degree of **Doctor of Philosophy** 

**Faculty of Applied Science** 

December 2016

### **ABSTRACT**

This study was conducted with the hypothesis that the phytochemical closely related to Libyan medicinal herb, Urginea maritima (L.) Baker constituents within waterbased extract would own appropriately powerful properties that contribute to intrinsic regulation specific antitumour activities in human malignant SH-SY5Y neuroblastoma cells. The purpose of the present study was to explore the characterisation and identification of the major phytochemical of the *U. maritima* aqueous extract. Additionally, the study also aimed to evaluate their effectiveness on the cellular and molecular mechanism associated with the main anti-tumour criteria. Through utilising several *in-vitro* techniques on both the experimental cell line models involving (2×  $10^4$  to  $1 \times 10^6$  cells/ml) with the quality of > 90% viability of SH-SY5Y neuroblastoma and RA differentiated (neuron-model) cells. Evaluation of the impact of the active extract ingredients was conducted based on morphological observation, biochemical, cellular function and gene expression profile, and the analysis was carried out for its estimation within different concentrations and durations. Neuroblastoma is a wellknown extra-cranial solid tumour and one of the most deadly malignancies in childhood. Indeed, neuroblastoma with high-risk stages is extremely heterogeneous and very aggressive metastases. Although the most intensive multimodal therapies are available, but the key for the successful medical intervention of malignant neuroblastoma is still a challenging task. In this regard, the present investigation data for the first time clearly emphasise the significantly specific anti-tumour activities including viability and proliferation inhibition at a time-dose dependent manner with an estimated IC<sub>50</sub> value at 10µg/ml, 1µg/ml and 100ng/ml after an incubation at 24, 48 and 72hrs respectively, with less neurotoxicity among the neuron model cells. Efficient apoptosis-causing and the induction of a more pronounced G1 phase arrest. More importantly, the investigation highly supported the ability of novel biological activities of this natural product, as it elucidated that the extract in-vitro could directly induce a neuronal differentiation mechanism. Based on the gene expression profiling was performed using the Human Affymetrix microarray module evaluating the biological significance of the *U. maritima* experiments. Following this Gene Ontology (GO) analysis and the major significant pathway through a Database (D.A.V.I.D) was decided. Further, the most promising results were also verified using RT-PCR. The expression profile results established extensive detail on the gene expression that encoded groups of proteins attributed to death receptors interrelated to intrinsic apoptosis pathway involving bad, bid, bbc3, and also elevated caspase-9 for treating malignant SH-SY5Y neuroblastoma population, which are in accordance with our previous findings and confirmed the research hypothesis. Furthermore, the studied extract strengthens cellular machinery correlated with neurogenesis, differentiation and development, bio action due to stimulation of wnt signal pathways with overexpression of numerous wnt ligands including wnt3A, wnt7A, wnt7B and wnt11. Collectively, these novel findings reveal that the active constituents of this unusual natural product, medicinal herb *U. maritima* exhibited dual effects on the neuron cells. Indeed, this preferential ability through diverse bioactivities provides an interesting basis for widespread medical application and a promising therapeutic candidate against neurological diseases, more specifically against neuroblastoma disorders.

### **ACKNOWLEDGEMENT**

In the Name of Allah, Most Gracious, Most Merciful, all praise and thanks are due to Allah, and peace and blessings be upon His Messenger. I would like to express the most sincere appreciation to those who made this work possible. Advisory members, family and friends.

I would like to thank Associate Professor, Dr. Mohamed Saifulaman Mohamed Said for providing me the opportunity to complete my PhD studies under his valuable guidance, for the many useful advice and discussions, In addition, special thanks are extended to the supervisory committee member; Puan , Mazatulikhma Mat Zain. I am grateful for her, constant encouragement, helpful advice and many fruitful discussions. I wish to thank Dr. Khalilah Abdul Khalil, for her willingness to serve on my supervisory committee.

Thanks and acknowledgements are meaningless if not extended to my father's spirit and pure, mum and sister who deserve my deepest appreciation. I am grateful for the countless sacrifices they made to ensure that I could pursue my dreams and for always being there for me. Real and deepest thanks to them (May ALLAH bless and protect them and may they be blessed with long and healthy life). All praise and thanks words said to them will not be enough.

I am deeply obligated and thankful to my husband Mr. Saleh Ramadan Saleh and my children, for the moral and intellectual support, their understanding, patience and support throughout the period of my study.

Last but not the least, I wish to thank my University (University of Benghazi, Benghazi, Libya) and my country Libya for their contributions in my study either directly or indirectly.

# TABLE OF CONTENTS

CO.	NFIRMATION BY PANEL OF EXAMINERS	ii			
AU'	iii				
ABS	iv				
AC	KNOWLEDGEMENT	v			
TA	BLE OF CONTENTS	vi			
LIS	xii				
LIS	xiv				
LIS	xxi				
LIS	ST OF ABBREVIATIONS	xxiii			
CH.	APTER ONE: INTRODUCTION	1			
1.1	Research background	1			
1.2	Research Objectives	11			
1.3	Problem Statement	11			
1.4	Research Hypothesis	12			
CH	APTER TWO: LITERATURE REVIEW	14			
2.1	1 Introduction				
2.2	History of Botanical Natural Production				
2.3	Bioavailability of Phytochemical compound				
2.4	Urginea maritima (L.) Baker Taxonomy and Distribution	18			
	2.4.1 Description of Liliaceae	18			
	2.4.2 Description of <i>Urginea maritima</i> (L.) Baker	19			
	2.4.3 History of <i>Urginea maritima</i> (L.) Baker	19			
2.5	Cardiotonic Steroids	20			
	2.5.1 Introduction	20			
	2.5.2 Anti-cancer activities of cardiotonic steroids	21			
2.6	Polyphenol compounds 2				
2.7	Anti-tumour specific bioactivities				

	2.7.1	Antioxidant			
		2.7.1.1	Introduction	26	
		2.7.1.2	Antioxidant classification	27	
		2.7.1.3	The balance between ROS and antioxidants	28	
		2.7.1.4	Phytochemical antioxidants: Oxidative stress and disease	28	
	2.7.2	Apoptosis			
		2.7.2.1	Introduction	30	
		2.7.2.2	Extrinsic pathway	34	
		2.7.2.3	Intrinsic pathway	36	
2.8	Neuroblastoma				
	2.8.1	Neurob	lastoma treatment strategy	42	
	2.8.2	Neurob	lastoma derived cell lines	43	
2.9	wnt si	signal Pathway			
	2.9.1	Introduc	etion	44	
	2.9.2	Role of	wnt signalling in the central nerve system	45	
		2.9.2.1	wnt signalling pathways	45	
		2.9.2.2	wnt signalling in neuronal development and maturation	51	
		2.9.2.3	wnt signalling in neuronal differentiation	60	
		2.9.2.4	wnt members control dendritic morphogenesis	64	
		2.9.2.5	wnt signalling at central synapses	66	
	2.9.3	wnt the	rapeutic target in neurodegenerative diseases	69	
СН	APTE	R THRE	E: GENERAL RESEARCH METHODOLOGY	70	
3.1	Introd	uction		70	
3.2	Materials and methods			70	
	3.2.1	Prepara	tion of aqueous U. maritima (L. Baker) extract	70	
	3.2.2	.2 Cells modules and experimental design			
		3.2.2.1	Human malignant neuroblastoma SH-SY5Ycell culture	73	
		3.2.2.2	RA differentiated (neuron-model) cell culture	73	
СН	APTE	R FOUR	: CHARACTERISATION AND IDENTIFICATION	75	
OF	PHYT	OCHEM	IICAL OF LIBYAN MEDCINAL HERB <i>U</i> .		
mai	ritima I	EXTRAC	CT WITH ANTI-TUMOUR ACTIVITIES		
4.1	Introd	uction		75	