LIGNOCELLULOSIC THERMOPLASTIC COMPOSITE FROM SHREDDED WASTE PAPER

By

BASHIRAH MOHD SURUR

Thesis Submitted in Partial Fulfilment of the Requirement of the Bachelor of Science (Hons) in Furniture Technology in the Faculty of Applied Science, Universiti Teknologi MARA

October 1999

ACKNOWLEDGEMENTS

I wish to express my gratitude to my supervisors, Dr. Jamaludin Kasim and Mssr. Chen Fung Woo for guiding, reading and offering comments as the thesis evolved. I gratefully acknowledge their helpful suggestion.

I would also like to thank all lecturers and lab assistants in the Department of Furniture Technology, Universiti Teknologi MARA especially to Mssr. Roslan Ali, as Head of Department for guiding me either direct or indirectly. I am very grateful to Mssr. Nawawi Abd Rahman, Head of Department Rubber and Plastic Technology, Universiti Teknologi MARA for permitting me to use the Rubber and Plastic Technology equipment and providing the materials. Also to lab assistance, Mssr. Ismail Ramli and Mustapha Baba for helping me during the thermoplastic making and testing. I wish to pay special tribute to Mssr. Ariff Mohamed whose willingness to contribute his knowledge, time and effort till I completed my thesis. Not forgetting, thanks to all my friends and classmate, for helping me throughout the years.

Finally, my profoundest gratitude goes out to my beloved family, especially to my parents:

my siblings:

who had always support me throughout my life. Thank You.

iii

TABLE OF CONTENTS

Page

*

ACKNOWLEDGEMENTS	iii
LIST OF TABLES	vi
LIST OF FIGURES	vii
LIST OF PLATES	viii
LIST OF ABBREVIATIONS	ix
ABSTRACT	х
ABSTRAK	xi

CHAPTER

L	INTRODUCTION	1
п		4
	Paper	4
	Introduction to Paper	4
	General Grades of Paper	5
	Specific Types of Paper	6
	Recycle Paper and Its Disadvantages	7
	Composite	8
	Thermoplastic Composite	10
	Lignocellulosic Thermoplastic Composite	11
	Potential Uses for Lignocellulosic Thermoplastic	10
	Belverepylene as a Binder	12
	Maleic Anhydride Grafted Polypropylene (MAPP)	16
ш	MATERIALS AND METHODS	18
	Materials	18
	Methods	19
	Thermoplastic Composite Making	19
	Specimen Preparation and Testing	26
	Determination of Flexural Strength	28
	Determination of Tensile Strength	31
	Determination of Water Absorption	33
	Statistical Analysis	35

IV	RES	SULTS AND DISCUSSIONS	37
	N E E	lechanical and Water Absorption Properties ffect of Fillers (Shredded Waste Paper) ffects of MAPP	37 39 44
v	CO	NCLUSIONS AND RECOMMENDATIONS	48
REFEF	RENC	ES	50
APPEN	NDIC	ES	54
	A B	The Flexural Specimen Properties For Modulus Of Rupture	55
	С	The Tensile Specimen Properties For Modulus Of Rupture	57 59
	D	The Tensile Specimen Properties For Modulus Of Elasticity	61
	E	The Tensile Specimen Properties For Elongation	63
	F G	The Water Absorption Specimens Properties for Water Absorption Univariate Analysis of Variance	65 67
VITA			76

LIGNOCELLULOSIC THERMOPLASTIC COMPOSITE FROM SHREDDED WASTE PAPER

By

BASHIRAH BINTI MOHD SURUR

October 1999

Shredded waste paper is one of the abundant sources of used fiber. It has the potential to be use as reinforcing fillers in thermoplastic composite. In this experiment the waste paper thermoplastic composite was made through melt-blending process and its physical and mechanical properties were determined. The waste paper and polypropylene (PP) were blended in a dispersion mixer machine and then made into a composite using a mould, with waste paper percentage varying from 0 to 30%. The maleic anhydride grafted polypropylene (MAPP) was added to improve the bonding and interaction between the hydrophilic waste paper and hydrophobic polymer matrix. Composites produced were tested for tensile, flexural and water absorption properties. Results were compared to composite made from 100% neat PP. For thermoplastic composite without MAPP, loading of waste paper into the composite decrease the tensile strength and its ability to elongate. The higher amount of waste paper however increase the modulus of elasticity, water absorption and the flexural strength. The addition of MAPP in thermoplastic composite helps to improved the properties of composite. The flexural and tensile strength increases with the addition of MAPP. Overall, the waste paper was found to be a suitable material to be use in the manufacture of thermoplastic composite.